

Piante ospiti identificate come suscettibili a *Xylella fastidiosa* subsp. *Pauca*

1. Acacia saligna
2. Amaranthus retroflexus
3. Asparagus acutifolius (Asparago Selvatico)
4. Catharanthus
5. Chenopodium album
6. Cistus creticus
7. Dimorphoteca fruticosa
8. Dodonaea viscosa purpurea
9. Eremophila maculata
10. Erigeron bonariensis
11. Erigeron sumatrensis
12. Euphorbia chamaesyce
13. Euphorbia terracina
14. Grevillea juniperina
15. Hebe
16. Heliotropium Europaeum
17. Laurus nobilis (Alloro)
18. Lavandula angustifolia (Lavanda)
19. Lavandula stoechas
20. Myoporum insulare
21. Myrtus communis var. pumila (Mirto)
22. Nerium oleander (Oleandro)
23. Olea europea (Olivo)
24. Pelargonium x fragans (Geranio Odoroso)
25. Phillyrea latifolia
26. Polygala myrtifolia
27. Prunus avium (Ciliegio)
28. Prunus dulcis (Mandorlo)
29. Rhamnus alaternus (Alaterno)
30. Rosmarinus officinalis (Rosmarino)
31. Spartium junceum (Ginestra)
32. Vinca
33. Westringia fruticosa
34. Westringia glabra

- 35. Pistacia vera L. (Pistacchio)
- 36. Prunus mahaleb (ciliegio canino)



Acacia saligna

Amaranthus retroflexus





Asparagus acutifolius

Catharanthus



Chenopodium Album



Cistus creticus





Dimorphoteca fruticosa

Dodonea viscosa purpurea





Erigeron Bonariensis



Erigeron Sumatrensis



Euphorbia chamaesyce





Euphorbia terracina

Grevillea juniperina





Hebe

Heliotropium Europaeum




Laurus nobilis



***Lavandula angustifolia* (lavanda)**










***Myrtus communis* var. *pumila* (Mirto)**



Nerium Oleander (Oleandro)



Olea europaea (Olivo)

Foto

F.

V
a
l
e
n
t
i
n
i

IAM



**Pelargonium x fragans
(Geranio Odoroso)**



Phillyrea latifolia





Polygala myrtifolia




***Prunus Avium* (Ciliegio)**



Prunus dulcis (Mandorlo)



Rhamnus alaternus



Rosmarinus officinalis (Rosmarino)





***Spartium juncceum* (Ginestra)**



Vinca





Westringia fruticosa





***Pistacia vera* L. (Pistacchio)**





***Prunus mahaleb* (ciliegio canino)**